



## RFQ-GBRSP-GLOF-II/2024-01-A

Dated: December 19, 2024

# REQUEST FOR QUOTATIONS FOR SUPPLY & INSTALLATION OF CHILGOZA (Pine Nut) PROCESSING UNIT AT DIAMER

Gilgit-Baltistan Rural Support Programme (GBRSP) is a Public Sector Company established by the Government of Gilgit-Baltistan, working with the aim and objective to develop a prosperous and peaceful society in Gilgit-Baltistan by improving the quality of lives of the communities through participatory development approach. GBRSP invites you to submit your quotation for the Supply, Installation and Running of Chilgoza Processing Unit at Gunar Farm, Diamer (for Muthat Valley community), under the GLOF-II Project.

# SECTION A: QUOTATION REQUIREMENTS

- The attached Schedule of Requirements at Section C details the items to be supplied. You are requested to quote your most competitive price for these items by completing and returning Sections B and C.
- Quotations must be returned to the Manager Admin, Procurement & HR, GBRSP Head Office, Street 12, Noor Colony, Jutial, Gilgit in sealed envelopes marked "Supply, Installation & Running of Chilgoza Processing Unit" not later than December 23, 2024 at 12:00 pm.
- The delivery should be made by December 28, 2024.
- 4. The warranty/guarantee period shall be 6 months (if applicable).
- 5. Each bidder shall submit only one quotation.
- 6. 2% Bid Security (refundable; of the total amount quoted) in the form of call deposit in the shape of demand draft issued by any schedule bank in the name of GBRSP must be attached with the document.
- Bids shall be evaluated on price as per given specifications. GBRSP will sign contract with successful bidder.
- Bid Security shall be forfeit if successful bidder failed to deliver the goods/services in the given time.
- Payments will be made after supply, installation and running of the equipment against an invoice supported by covering letter demanding for payment.

(Kashif Hussain) JO Admin & Procurement





Your quotation is to be returned on this form by completing and returning Sections B and C including any of the information or certification required within this Request for Quotation.

# SECTION B: QUOTATION DETAILS

- Currency of Quotation PKR
- We confirm that our quotation is subject to the terms and conditions stated in your Request for Quotations referred to above.
- We confirm that the prices quoted are fixed for the duration of the validity period stated above and will not be subject to revision or variation.

Submitte	d by:
Vendor:	
Address	
Contact	Number:





(E) c

# SECTION C: SPECIFICATIONS

u	•					2											_								No
Grader				Electronic Vacuum packaging machine tabletop							Roaster Machine													Equipment	
Machine				Machine											Machine								Unit		
<ul> <li>Three Sieve sets – 100 kg/h</li> <li>Easy screen attachment setting</li> <li>At a time two sieves for adjustment of different grading size</li> </ul>	<ul> <li>3 HP 3 Phase electric motor</li> <li>Heavy base MS made. Scratch proof paint finished</li> </ul>	<ul> <li>Vibrating screen dimension will be 30"x48"</li> <li>All Stainless Steel 304 product contact parts</li> </ul>	Digital Control	All made of Stainless Steel	90 mm	<ul> <li>Packaging chamber dimensions: w x d x h - 385 x 280 x</li> </ul>	<ul> <li>Vacuum pump capacity (m3/h) – 10</li> </ul>	<ul> <li>Cycle efficiency / min – 1-2</li> </ul>	<ul> <li>Power consumption (W) – 1000</li> </ul>	requirements	<ul> <li>Variable speed control of roaster to match with variable</li> </ul>	<ul> <li>Automatic gas flame control</li> </ul>	3 HP gear motor for roaster rotation	<ul> <li>Temperature range up to 175 degrees Celsius</li> </ul>	help of selector switch for product loading and unloading	<ul> <li>Rotary drum rotation direction can be changed with the</li> </ul>	mixing, and rotation	<ul> <li>Inner drum fitted with ribbons for product loading,</li> </ul>	<ul> <li>Capacity 100-150 kg (depends on product)</li> </ul>	<ul> <li>Inner rotary drum made of S.S 304 for product loading</li> </ul>	<ul> <li>Frame structure made of MS Spray painted</li> </ul>	Gas heating of Roaster drum	Filling for indirect heating of product	<ul> <li>Rotary drum type roaster, jacketed for Thermal Oil</li> </ul>	Details
																									Quoted Price (PKR)





### Notes:

- Prices should be inclusive of all work including supply, installation and running (civil work, electric supplies with on/off breakers with DB, water supply lines, fabrication / installation team residence / meal, etc.).

  100% payment shall be made after successful running of the unit.

  1 year free warranty for controlling defective parts replacement
  Rate should be inclusive of all applicable taxes and duties. i)

- ii) iii) iv)